

## Enclosure 1.

### DRAFT San Francisco District Regional Conditions

#### A. General Regional Conditions that apply to all NWP's in the Sacramento, San Francisco, and Los Angeles Districts:

1. When pre-construction notification (PCN) is required, the permittee shall notify the U.S. Army Corps of Engineers, San Francisco District (Corps) in accordance with General Condition 31 using either the South Pacific Division Preconstruction Notification (PCN) Checklist or a signed application form (ENG Form 4345) with an attachment providing information on compliance with all of the General and Regional Conditions. In addition, the PCN shall include:
  - a. A written statement describing how the activity has been designed to avoid and minimize adverse effects, both temporary and permanent, to waters of the United States;
  - b. Drawings, including plan and cross-section views, clearly depicting the location, size and dimensions of the proposed activity, as well as the location of delineated waters of the U.S. on the site. The drawings shall contain a title block, legend and scale, amount (in cubic yards) and area (in acres) of fill in Corps jurisdiction, including both permanent and temporary fills/structures. The ordinary high water mark or, if tidal waters, the mean high water mark and high tide line, should be shown (in feet), based on National Geodetic Vertical Datum (NGVD) or other appropriate referenced elevation. All drawings for activities located within the boundaries of the San Francisco District shall comply with the February 5, 2016 Special Public Notice: *Updated Map and Drawing Standards for the South Pacific Division Regulatory Program*, (available on the South Pacific Division Regulatory website at: <http://www.spd.usace.army.mil/Missions/Regulatory/PublicNoticesandReferences/abid/10390/Article/651327/updated-map-and-drawing-standards.aspx>); and
  - c. Numbered and dated pre-project color photographs showing a representative sample of waters proposed to be impacted on the site, and all waters of the U.S. proposed to be avoided on and immediately adjacent to the activities site. The compass angle and position of each photograph shall be identified on the plan-view drawing(s) required in subpart b of this Regional Condition.
  - d. Delineation of aquatic resources meeting the standards adopted by the District.
2. The permittee shall submit a PCN, in accordance with General Condition 32, For all activities located in areas designated as Essential Fish Habitat (EFH) by the Pacific Fishery Management Council (i.e., all tidally influenced areas - Federal Register dated March 12, 2007, (72 C.F.R. 11,092)), and that would result in an adverse effect to EFH, in which case the PCN shall include an EFH assessment and extent of proposed impacts to EFH. Examples of EFH habitat assessments can be found at: [http://www.westcoast.fisheries.noaa.gov/habitat/fish\\_habitat/efh\\_consultations\\_go.html](http://www.westcoast.fisheries.noaa.gov/habitat/fish_habitat/efh_consultations_go.html)
3. For Water Quality Certificate issuance considerations, the permittee shall submit a PCN, in accordance with General Condition 32, for all activities located on Tribal Lands.
4. For activities in which the Corps designates another Federal agency as the lead for compliance with Section 7 of the Endangered Species Act (ESA) of 1973 as amended, 16 U.S.C. §§ 1531-1544, Section 305(b)(4)(B) of the Magnuson-Stevens Fishery Conservation and Management Act (EFH), 16 U.S.C. § 1855(b)(4)(B) and/or Section 106 of the National

Historic Preservation Act (NHPA) of 1966, as amended , 16 U.S.C. §§ 470-470h, the lead Federal agency shall provide all relevant documentation to the appropriate Corps demonstrating any previous consultation efforts, as it pertains to the Corps Regulatory permit area (for Section 7 and EFH compliance) and the Corps Regulatory area of potential effect (APE) (for Section 106 compliance). For activities requiring a PCN, this information shall be submitted with the PCN. If the Corps does not designate another Federal agency as the lead for ESA, EFH and/or NHPA, the Corps will initiate consultation for compliance, as appropriate.

5. For all activities in waters of the U.S. that are suitable habitat for Federally-listed fish species, the permittee shall design all new linear transportation crossings (e.g. roads, highways, railways, trails, bridges, culverts) to ensure that the passage and/or spawning of fish is not hindered. In these areas, the permittee shall employ bridge designs that span the stream or river, including pier- or pile-supported spans, or designs that use a bottomless arch culvert with a natural stream bed unless determined to be impracticable by the Corps.
6. The permittee shall complete the construction of any compensatory mitigation required by special condition(s) of the NWP verification before or concurrent with commencement of construction of the authorized activity, except when specifically determined to be impracticable by the Corps. When mitigation involves use of a mitigation bank or in-lieu fee program, the permittee shall submit proof of payment to the Corps prior to commencement of construction of the authorized activity.
7. Any requests to waive the applicable linear foot limitations for NWPs 13, 21, 29, 39, 40, 42, 43, 44, 50, 51, 52 and B, must include the following:
  - a. A narrative description of the stream. This should include known information on: volume and duration of flow; the approximate length, width, and depth of the waterbody and characteristics observed associated with an Ordinary High Water Mark (e.g. bed and bank, wrack line or scour marks); a description of the adjacent vegetation community and a statement regarding the wetland status of the adjacent areas (i.e. wetland, non-wetland); surrounding land use; water quality; issues related to cumulative impacts in the watershed, and; any other relevant information;
  - b. An analysis of the proposed impacts to the waterbody, in accordance with General Condition 32;
  - c. Measures taken to avoid and minimize losses to waters of the U.S., including other methods of constructing the proposed activity(s); and
  - d. A compensatory mitigation plan describing how the unavoidable losses are proposed to be offset, in accordance with 33 CFR 332.

**B. General Regional Conditions that apply to all NWPs in the San Francisco District:**

1. Notification to the Corps (in accordance with General Condition No. 32) is required for any activity permitted by NWP if it will take place in waters or wetlands of the U.S. that are within the **San Francisco Bay diked baylands** (see figure 1) (undeveloped areas currently behind levees that are within the historic margin of the Bay. Diked historic baylands are those areas on the Nichols and Wright map below the 5-foot contour line, National Geodetic Vertical Datum (NGVD) (see Nichols, D.R., and N. A. Wright. 1971. Preliminary map of historic margins of marshland, San Francisco Bay, California. U.S. Geological Survey Open File Map)). The notification shall explain how avoidance and minimization of losses of waters or wetlands are taken into consideration to the maximum extent practicable (see General Condition 23).

2. Notification to the Corps (in accordance with General Condition No. 32) is required for any activity permitted by NWP if it will take place in waters or wetlands of the U.S. that are within the **Santa Rosa Plain** (see figure 2). The notification will explain how avoidance and minimization of losses of waters or wetlands are taken into consideration to the maximum extent practicable in accordance with General Condition No. 23.
3. Notification to the Corps (in accordance with General Condition No. 32), including a compensatory mitigation plan, habitat assessment, and extent of proposed-project impacts to Eelgrass Beds are required for any activity permitted by NWP if it will take place within or adjacent to **Eelgrass Beds**.

**C. Regional Conditions that apply to specific NWPs in the San Francisco District:**

**3. MAINTENANCE:**

1. To the extent practicable, excavation equipment shall work from an upland site (e.g., from the top of the bank, the road bed of the bridge, or culverted road crossing) to minimize adding fill into waters of the U.S. If it is not practicable to work from an upland site, or if working from the upland site would cause more environmental damage than working in the stream channel, the excavation equipment can be located within the stream channel but it must minimize disturbance to the channel (other than the removal of accumulated sediments or debris). As part of the notification to the Corps (in accordance with General Condition No. 32), an explanation as to the need to place excavation equipment in waters of the U.S. is required, as well as a statement of any additional necessary fill (e.g., cofferdams, access road, fill below the OHW mark for a staging area, etc.).
2. If the activity is proposed in a special aquatic site, the notification to the Corps (in accordance with General Condition No. 32) shall include an explanation of why the special aquatic site cannot be avoided, and the measures to be taken to minimize impacts to the special aquatic site.

**11. TEMPORARY RECREATIONAL STRUCTURES:**

1. Notification to the Corps (in accordance with General Condition No. 32) is required if any temporary structures are proposed in wetlands or vegetated shallow water areas (e.g. in eelgrass beds). The notification shall include the type of habitat and areal extent affected by the structures.

**12. UTILITY LINE ACTIVITIES:**

1. Excess material removed from a trench, associated with utility line construction, shall be disposed of at an upland site away from any wetlands or other waters of the U.S. so as to prevent this material from being washed into aquatic areas.
2. This NWP permit does not authorize the construction of substation facilities. Utility line substations can usually be constructed in uplands.

**13. BANK STABILIZATION:**

1. Notification to the Corps (in accordance with General Condition No. 32) is required for all activities stabilizing greater than 300 linear feet of channel. Where the removal of wetland vegetation (including riparian wetland trees, shrubs and other plants) or submerged, rooted, aquatic plants over a cumulative area greater than 1/10 acre or 300 linear feet is proposed, the Corps shall be notified (in accordance with General Condition No. 32). The notification shall include the type of vegetation and extent (e.g., areal dimension or number of trees) of the proposed removal. The notification shall also address the effect of the bank stabilization on the stability of the opposite side of the streambank (if it is not part of the stabilization activity), and on adjacent property upstream and downstream of the activity.

2. This permit allows excavating a toe trench in waters of the U.S., and, if necessary, to use the material for backfill behind the stabilizing structure. Excess material is to be disposed of in a manner that will have only minimal impacts to the aquatic environment. The notification to the Corps (in accordance with General Condition No. 32) shall include location of the disposal site.
3. For man-made banks, roads, or levees damaged by storms or high flows, the one cubic yard per running foot limit is counted only for that additional fill which encroaches (extends) beyond the pre-flood or pre-storm shoreline condition of the waterway. It is not counted for the fill that would be placed to reconstruct the original dimensions of the eroded, man-made shoreline.
4. For natural berms and banks, the one cubic yard per running foot limit applies to any added armoring.
5. To the maximum extent practicable, any new or additional bank stabilization must incorporate structures or modifications beneficial to fish and wildlife (e.g., soil bioengineering or biotechnical design, root wads, large woody debris, etc.). Where these structures or modifications are not used, the applicant shall demonstrate why they were not considered practicable.

#### **14. LINEAR TRANSPORTATION PROJECTS:**

1. Notification to the Corps (in accordance with General Condition No. 32) is required for all projects filling greater than 300 linear feet of channel. For projects involving greater than 300 linear feet of bank stabilization, the project proponent shall address the effect of the bank stabilization on the stability of the opposite side of the streambank (if it is not part of the stabilization activity), and on adjacent property upstream and downstream of the activity.
2. This permit does not authorize construction of new airport runways and taxiways.
3. If this NWP has been used to authorize previous project segments within the same linear transportation project, justification must be provided demonstrating that the cumulative impacts of the proposed and previously authorized project segments do not result in more than minimal impacts to the aquatic system.
4. To the maximum extent practicable, any new or additional bank stabilization required for the crossing must incorporate structures or modifications beneficial to fish and wildlife (e.g., soil bioengineering or biotechnical design, root wads, large woody debris, etc.). Where these structures or modifications are not used, the applicant shall demonstrate why they were not considered practicable. Bottomless and embedded culverts are encouraged over traditional culvert stream crossings.

#### **23. APPROVED CATEGORICAL EXCLUSIONS:**

1. Use of this NWP requires notification to the Corps (in accordance with General Condition No. 32). The notification shall include the following:
  - a. A copy of the Federal Categorical Exclusion (Cat/Ex) document signed by the appropriate federal agency. If the Cat/Ex is signed by a state or local agency representative instead of by a federal agency representative, then copies of all documentation authorizing alternative agency signature shall be provided.
  - b. Written description of Corps authority (e.g., Section 10 of the Rivers and Harbors Act and/or Section 404 of the Clean Water Act.);

- c. a list of conditions described in the Cat/Ex and/or attachments outlining measures that must be taken prior to, during, or after project construction to minimize impacts to the aquatic environment;
  - d. a copy of the jurisdictional delineation performed by qualified specialists showing the project limits and the location (delineated boundaries) of Corps jurisdiction within the overall project limits;
  - e. map(s) showing the locations of potentially permanent and temporary project impacts to areas within Corps jurisdiction;
  - f. a clear and concise description of all project impacts including, but not necessarily limited to:
    - 1. quantification and description of permanent project impacts to areas within Corps jurisdiction,
    - 2. quantification and description of temporary impacts to areas within Corps jurisdiction, and
    - 3. linear extent of Corps jurisdiction affected by the project;
  - g. a general description of activities covered by the Cat/Ex that do not require Corps authorization but are connected or related to the activities in Corps jurisdiction;
  - h. a complete description of any proposed mitigation and/or restoration including, but not necessarily limited to, locations of any proposed planting, short- and long-term maintenance, proposed monitoring, success criteria and contingency plans;
  - i. written justification of how the project complies with the Nationwide Permit Program including less than minimal impact to the aquatic environment and compliance with the General Conditions.
  - j. For Federal Highway Administration (FHWA) Cat/Ex projects, the notification should describe how activities described in the Cat/Ex meet the description of the Cat/Ex project published in the August 28, 1987 Federal Register part 771.117 (a)(b)(c) and (d) (Volume 52, No. 167) or any updated version published in the Federal Register.
2. Only activities specifically described in the Cat/Ex project description will be covered by the NWP 23 authorization. If other activities not described in the Cat/Ex project description will be performed (e.g., dewatering, slope protection, etc.), these activities must receive separate NWP authorizations.
  3. Notification to the Corps (in accordance with General Condition 32) must include a copy of the signed Cat/Ex document and final agency determinations regarding compliance with Section 7 of the Endangered Species Act (ESA), Essential Fish Habitat (EFH) under the Magnussen-Stevens Act, and Section 106 of the National Historic Preservation Act.

**27. Aquatic Habitat Restoration, Establishment, and Enhancement Activities**

1. Notification to the Corps (in accordance with General Condition 32) must include documentation of a review of project impacts to demonstrate that at the conclusion of the work that the project would result in a net increase in aquatic function. Additionally, the documentation must include a review of project impacts on adjacent properties or structures and must also discuss cumulative impacts associated with the project.

**29. Residential Developments:**

1. When discharge of fill results in the replacement of wetlands or waters of the U.S. with impervious surfaces, to ensure that the authorized activity does not result in more than minimal degradation of water quality (in accordance with General Condition 25), the

residential development shall incorporate low impact development concepts (e.g. native landscaping, bioretention and infiltration techniques, and constructed green spaces) to the extent practicable. A description of the low impact development concepts proposed in the project shall be included with the permit application. More information including low impact development concepts and definitions is available at the following website:  
<http://www.epa.gov/owow/NPS/lid/>.

2. Use of this NWP is prohibited within the San Francisco Bay diked baylands (undeveloped areas currently behind levees that are within the historic margin of the Bay. Diked historic baylands are those areas on the Nichols and Wright map (see figure 1) below the 5-foot contour line, National Geodetic Vertical Datum (NGVD) (see Nichols, D.R., and N. A. Wright. 1971. Preliminary map of historic margins of marshland, San Francisco Bay, California. U.S. Geological Survey Open File Map)).

### **33. TEMPORARY CONSTRUCTION, ACCESS, AND DEWATERING:**

1. Access roads shall be designed to be the minimum width necessary and shall be designed to minimize changes to the hydraulic flow characteristics of the stream and degradation of water quality (in accordance with General Conditions 9 and 25). The following Best Management Practices (BMPs) shall be followed to the maximum extent practicable to ensure that flow and circulation patterns of waters are not impaired and adverse effects on the aquatic environment will be kept to a minimum:
  - a. The road shall be properly stabilized and maintained during and following construction to prevent erosion.
  - b. Construction of the road fill shall occur in a manner that minimizes the encroachment of trucks, tractors, bulldozers, or other heavy equipment within waters of the United States (including adjacent wetlands) that lie outside the lateral boundaries of the fill itself.
2. Vegetative disturbance in the waters of the U.S. shall be kept to a minimum.
3. Borrow material shall be taken from upland sources whenever feasible.
4. Stream channelization is not authorized by this NWP.

### **35. MAINTENANCE DREDGING OF EXISTING BASINS:**

1. Use of this NWP will require notification to the Corps (in accordance with General Condition No. 32). The notification information should be provided on the Consolidated Dredging-Dredged Material Reuse/Disposal Application. This application and instructions for its completion can be found on our web site at:  
<http://www.spn.usace.army.mil/conops/applications.html>. The information must include the location of the proposed upland disposal site. A jurisdictional delineation of the proposed upland disposal site prepared in accordance with the current method required by the Corps may also be required.
2. The U.S. Coast Guard will be notified by the permittee at least 14 days before dredging commences if the activity occurs in navigable waters of the U.S. (Section 10 waters).
3. The permittee will be required to provide the following information to the Corps:
  - a. Dredge Operation Plan: Submit, for approval by this office, no earlier than 60 calendar days and no later than 20 calendar days before the proposed commencement of dredging, a plan which includes the following: **Corps file number**, a copy of the dredging contract or description of the work under which the contractor will do the permitted work; name and telephone numbers of the dredging contractor's representative on site; proposed dredging start and completion dates; quantity of material to be removed; dredging design depth and typical cross section including

overdepth; and date of last dredging episode and design depth. The Dredge Operational Plan shall also provide the following information: The controls being established to insure that dredging operations occur within the limits defined by the basin or channel dimensions and typical channel section.

- b. Pre-Dredge Survey: Submit no earlier than 60 calendar days and no later than 20 calendar days before commencement of dredging, a survey with accuracy to one-tenth foot that delineates and labels the following: areas to be dredged with overdepth allowances; existing depths; estimated quantities to be dredged to the design depth; and estimated quantities for overdepth dredging. **All surveys shall be signed by the permittee to certify their accuracy. Please include the Corps file number.**
- c. Solid Debris Management Plan: Submit no earlier than 60 calendar days and no later than 20 calendar days before commencement of work, a plan which describes measures to ensure that solid debris generated during any dredging operation is retained and properly disposed in areas not under Corps jurisdiction. **At a minimum, the plan shall include the following: source and expected type of debris; debris retrieval method; Corps file number; disposal method and site; schedule of disposal operations; and debris containment method to be used, if floatable debris is involved. (Please note that failure to provide all of the information requested in a, b, and c above may result in delays to your project. When your Dredge Operation Plan has been approved, you will receive a written authorization to commence with your project.)**
- d. Post-Dredge Survey: Submit, **within 30 days of the last disposal activity** ("last" is defined as that activity after which no further activity occurs for 15 calendar days), a survey with accuracy to one-tenth foot that delineates and labels the areas dredged and provides the dredged depths. **Also, include the Corps file number, actual dates of dredging commencement and completion, actual quantities dredged for the project to the design depth, and actual quantities of overdepth.** The permittee shall substantiate the total quantity dredged by including calculations used to determine the volume difference (in cubic yards) between the Pre- and Post-Dredge Surveys and **explain any variation in quantities greater than 15% beyond estimated quantities or dredging deeper than is permitted (design plus overdepth allowance).** **All surveys shall be accomplished by a licensed surveyor and signed by the permittee to certify their accuracy.** A copy of the post dredge survey should be sent to the National Ocean Service for chart updating:  
NOAA/National Ocean Service,  
Nautical Data Branch  
N/CS26, SSMC3, Room 7230  
1315 East-West Highway  
Silver Spring, Maryland 20910-3282.
- e. **The permittee or dredge contractor shall inform this office when: 1) a dredge episode actually commences, 2) when dredging is suspended (suspension is when the dredge contractor leaves the dredge site for more than 48 hours for reasons other than equipment maintenance), 3) when dredging is restarted, and 4) when dredging is complete. Each notification should include the Corps file number.** Details for submitting these notifications will be provided in the verification letter (to whom and how).

### **39. Commercial and Institutional Developments:**

1. When discharge of fill results in the replacement of wetlands or waters of the U.S. with impervious surfaces, to ensure that the authorized activity does not result in more than minimal degradation of water quality (in accordance with General Condition 25), the commercial and institutional development shall incorporate low impact development

concepts (e.g. native landscaping, bioretention and infiltration techniques, and constructed green spaces) to the extent practicable. A description of the low impact development concepts proposed in the project shall be included with the permit application. More information including low impact development concepts and definitions is available at the following website: <http://www.epa.gov/owow/NPS/lid/>.

2. Use of this NWP is prohibited within the San Francisco Bay diked baylands (undeveloped areas currently behind levees that are within the historic margin of the Bay. Diked historic baylands are those areas on the Nichols and Wright map (see figure 1) below the 5-foot contour line, National Geodetic Vertical Datum (NGVD) (see Nichols, D.R., and N. A. Wright. 1971. Preliminary map of historic margins of marshland, San Francisco Bay, California. U.S. Geological Survey Open File Map)).

**40. AGRICULTURAL ACTIVITIES:**

1. This NWP does not authorize discharge of fill into the channel of a perennial or intermittent watercourse that could impede high flows. This limitation does not apply to watercourses that flow only when there is an irregular, extraordinary flood event.

**41. RESHAPING EXISTING DRAINAGE DITCHES:**

1. Compensatory mitigation may be required if the Corps determines there will be a detrimental impact to aquatic habitat.
2. Notification to the Corps (in accordance with General Condition 32) is required if the applicant proposes to re-grade, discharge, install channel lining, or redeposit fill material.
3. The notification to the Corps (in accordance with General Condition 32) shall include an explanation of the project's benefit to water quality and a statement demonstrating the need for the project.

**42. RECREATIONAL FACILITIES:**

1. If buildings are proposed to be built in waters of the United States, including wetlands, the applicant must demonstrate that there is no on-site practicable alternative that is less environmentally damaging as defined by the Section 404(b)(1) guidelines.



# Enclosure 2

## California Regulatory Districts



**US Army Corps of Engineers**

**BUILDING STRONG®**

## Enclosure 3.

### **Index of Proposed Nationwide Permits, Conditions, and Definitions**

#### ***Nationwide Permits***

1. Aids to Navigation
2. Structures in Artificial Canals
3. Maintenance
4. Fish and Wildlife Harvesting, Enhancement, and Attraction Devices and Activities
5. Scientific Measurement Devices
6. Survey Activities
7. Outfall Structures and Associated Intake Structures
8. Oil and Gas Structures on the Outer Continental Shelf
9. Structures in Fleeting and Anchorage Areas
10. Mooring Buoys
11. Temporary Recreational Structures
12. Utility Line Activities
13. Bank Stabilization
14. Linear Transportation Projects
15. U.S. Coast Guard Approved Bridges
16. Return Water From Upland Contained Disposal Areas
17. Hydropower Projects
18. Minor Discharges
19. Minor Dredging
20. Response Operations for Oil or Hazardous Substances
21. Surface Coal Mining Activities
22. Removal of Vessels
23. Approved Categorical Exclusions
24. Indian Tribe or State Administered Section 404 Programs
25. Structural Discharges
26. [Reserved]
27. Aquatic Habitat Restoration, Establishment, and Enhancement Activities
28. Modifications of Existing Marinas
29. Residential Developments
30. Moist Soil Management for Wildlife
31. Maintenance of Existing Flood Control Facilities
32. Completed Enforcement Actions
33. Temporary Construction, Access, and Dewatering
34. Cranberry Production Activities
35. Maintenance Dredging of Existing Basins
36. Boat Ramps
37. Emergency Watershed Protection and Rehabilitation
38. Cleanup of Hazardous and Toxic Waste
39. Commercial and Institutional Developments
40. Agricultural Activities
41. Reshaping Existing Drainage Ditches

42. Recreational Facilities
43. Stormwater Management Facilities
44. Mining Activities
45. Repair of Uplands Damaged by Discrete Events
46. Discharges in Ditches
47. [Reserved]
48. Commercial Shellfish Aquaculture Activities
49. Coal Remining Activities
50. Underground Coal Mining Activities
51. Land-Based Renewable Energy Generation Facilities
52. Water-Based Renewable Energy Generation Pilot Projects
  - A. Removal of Low-Head Dams
  - B. Living Shorelines

***Nationwide Permit General Conditions***

1. Navigation
2. Aquatic Life Movements
3. Spawning Areas
4. Migratory Bird Breeding Areas
5. Shellfish Beds
6. Suitable Material
7. Water Supply Intakes
8. Adverse Effects from Impoundments
9. Management of Water Flows
10. Fills Within 100-Year Floodplains
11. Equipment
12. Soil Erosion and Sediment Controls
13. Removal of Temporary Fills
14. Proper Maintenance
15. Single and Complete Project
16. Wild and Scenic Rivers
17. Tribal Rights
18. Endangered Species
19. Migratory Bird and Bald and Golden Eagle Permits
20. Historic Properties
21. Discovery of Previously Unknown Remains and Artifacts
22. Designated Critical Resource Waters
23. Mitigation
24. Safety of Impoundment Structures
25. Water Quality
26. Coastal Zone Management
27. Regional and Case-by-Case Conditions
28. Use of Multiple Nationwide Permits
29. Transfer of Nationwide Permit Verifications
30. Compliance Certification
31. Activities Affecting Structures or Works Built by the United States
32. Pre-Construction Notification

## ***District Engineer's Decision***

### ***Further Information***

#### ***Definitions***

Best management practices (BMPs)  
Compensatory mitigation  
Currently serviceable  
Direct effects  
Discharge  
Enhancement  
Ephemeral stream  
Establishment (creation)  
High Tide Line  
Historic property  
Independent utility  
Indirect effects  
Intermittent stream  
Loss of waters of the United States  
Non-tidal wetland  
Open water  
Ordinary high water mark  
Perennial stream  
Practicable  
Pre-construction notification  
Preservation  
Re-establishment  
Rehabilitation  
Restoration  
Riffle and pool complex  
Riparian areas  
Shellfish seeding  
Single and complete linear project  
Single and complete non-linear project  
Stormwater management  
Stormwater management facilities  
Stream bed  
Stream channelization  
Structure  
Tidal wetland  
Vegetated shallows  
Waterbody