

## **APPENDIX I**

---

### **Wildlife Species of the San Francisco Estuary**

**Source:** San Francisco Estuary Project. 1992. Status and Trends Report on Wildlife of San Francisco Estuary. Prepared by the U.S. Fish and Wildlife Service.

## Wildlife Species of the San Francisco Estuary <sup>1</sup>

### Introduction

This appendix includes all species of amphibians, reptiles, birds, and mammals, both native and introduced, which are either currently or were historically considered to occur annually within the San Francisco Estuary study area. The list was derived from the State Wildlife Habitat Relationships database and refined through review of literature and consultation with experts. Species for which an account is presented in Chapter 4 are denoted with an asterisk (\*) preceding their common name. The appendix addresses the following information:

### Special Status:

The following abbreviations refer to taxa designated as special status by agency and private interests. Complete scientific names for these taxa, except the Audubon Blue List, Federal Management Concern, harvested, and introduced species, are provided in Appendix B.

FE - Federally-listed as an endangered species under the authority of the Endangered Species Act of 1973. The term "endangered" as defined in the Act, refers to "any species which is in danger of extinction throughout all or a significant portion of its range."

FT - Federally-listed as a threatened species. The term "threatened" as defined by the Endangered Species Act, describes "any species which is likely to become endangered in the foreseeable future throughout all or a significant portion of its range."

SE - State-listed as an endangered species under the authority of section 2062 of the Fish and Game Code. The State considers a species to be "endangered" when it "is in serious danger of becoming extinct throughout all, or a significant portion, of its range"

ST - State-listed as a threatened species. The State considers a species to be "threatened" when "although not presently threatened with extinction, [it] is likely to become an endangered species in the foreseeable future in the absence of the special protection and management efforts required by [the Fish and Game Codes]" (Section 2067 of the Fish and Game Code).

FC - Federal candidate - taxa under consideration by the U.S. Fish and Wildlife Service for listing as endangered and threatened species (FC1 - Category 1, FC2 - Category 2)

SSC - California Department of Fish and Game Species of Special Concern

SBS - Sensitive bird species - U.S. Fish and Wildlife Service designation of birds, including subspecies or distinct populations, which could become Federally listed as endangered or threatened in the

---

<sup>1</sup>Source: San Francisco Estuary Project. 1992. Status and Trends Report on Wildlife of San Francisco Estuary. Prepared by: U.S. Fish and Wildlife Service.

foreseeable future, throughout all or in a significant portion of their ranges, without active management and/or removal of threats.

AB - Audubon blue list - birds designated by the National Audubon Society which are believed to be experiencing a population decline in all or a major portion of its range.

MC - Federal management concern - designation of nongame migratory birds because of 1) documented or apparent population declines, 2) small or restricted populations, and 3) dependence on restricted or vulnerable habitats.

HA - Harvested species - species designated for harvest under the California State Fish and Game Code and U.S. Fish and Wildlife Service regulations.

EX - Extirpated - from the Estuary study area.

IN - Introduced - not native or indigenous within the Estuary study area.

#### Seasonal Occurrence:

R - resident: found in the study area throughout the designated season(s).

M - migrant: species occurring in the study area during seasonal (usually spring and fall) movements between breeding and nonbreeding areas.

Sp - Spring (March - May)

Su - Summer (June - August)

F - Fall (September - November)

W - Winter (December - February)

#### Relative Abundance:

A - abundant: almost always encountered, usually in great numbers

C - common: usually or often encountered in considerable numbers

U - uncommon: occasionally encountered, usually in small numbers

R - rare: rarely encountered, usually in very small numbers

#### Wildlife Habitat Types:

##### Wetland and Deepwater Habitats

OW - Open water

IM - Intertidal mudflat

RS - Rocky shores

SM - Tidal salt marsh

BM - Tidal brackish marsh

FM - Tidal fresh water marsh

DM - Diked seasonal marsh

FH - Other freshwater habitats

FW - Farmed wetlands

RW - Riparian woodland

SP - Salt ponds

LP - Lakes and ponds

### Upland Habitats

GR - Grassland  
CS - Coastal shrub  
MC - Mixed chaparral  
WS - Oak woodland

BF - Broad-leaved evergreen forest  
AL - Agricultural land  
UR - Urban

### Sources:

Grinnell and Wythe (1927), Grinnell and Miller (1944), Small (1974), Burt and Grossenheider (1976), Cogswell (1977), Erickson (1982), Stebbins (1985), U.S. Fish and Wildlife Service (1987c), Jameson and Peeters (1988), Zeiner et al. (1988, 1990a+b), Peterson (1990).

**Wildlife Species of the  
San Francisco Bay Estuary**

| Common Name                   | Scientific Name                   | Status   | Seasonal Occurrence | Abundance | OW | IM | RS | SM | BH | FM | DM | FH | FW | RW | SP | LP | GR | CS | MC | WS | BF | AL | UR |
|-------------------------------|-----------------------------------|----------|---------------------|-----------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| <b>AMPHIBIANS</b>             |                                   |          |                     |           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| tiger salamander              | <i>Ambystoma tigrinum</i>         | FC2,SSC  | R-YR                | U         |    | X  | X  |    |    |    |    |    |    |    |    |    | X  | X  |    |    |    |    |    |
| Pacific giant salamander      | <i>Dicamptodon ensatus</i>        |          | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    |    |    |    | X  |
| California newt               | <i>Taricha torosa</i>             |          | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  |    |
| rough-skinned newt            | <i>Taricha granulosa</i>          |          | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  |    | X  | X  |    |    |
| Ensatina                      | <i>Ensatina escholtzii</i>        |          | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  | X  |    |    |
| California slender salamander | <i>Batrachoseps attenuatus</i>    |          | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  | X  | X  |    |
| arboreal salamander           | <i>Aneides lugubris</i>           |          | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    | X  |    |    |    | X  |    | X  |    |
| black salamander              | <i>Aneides flavipunctatus</i>     |          | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  |    | X  | X  |    |    |
| western toad                  | <i>Bufo boreas</i>                |          | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  |    | X  | X  | X  |    |
| western spadefoot             | <i>Scaphiopus hammondii</i>       | SSC      | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  |    | X  |    | X  |    |
| Pacific treefrog              | <i>Pseudacris regilla</i>         |          | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  |    |
| red-legged frog               | <i>Rana aurora</i>                | FC2,SSC  | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  |    | X  |    | X  |    |
| foothill yellow-legged frog   | <i>Rana boylei</i>                | SSC      | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  |    |
| bullfrog                      | <i>Rana catesbeiana</i>           | IN,HA    | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  |    |
| <b>REPTILES</b>               |                                   |          |                     |           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| blunt-nosed leopard lizard    | <i>Gambelia sila</i>              | EX,FE,SE |                     |           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  |    |    |
| western fence lizard          | <i>Sceloporus occidentalis</i>    |          | R-YR                | A         |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |    |
| sagebrush lizard              | <i>Sceloporus graciosus</i>       |          | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |    |
| side-blotched lizard          | <i>Uta stansburiana</i>           |          | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |    |
| coast horned lizard           | <i>Phrynosoma coronatum</i>       | SSC      | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |    |
| western skink                 | <i>Eumeces skiltonianus</i>       |          | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |    |
| Gilbert's skink               | <i>Eumeces gilberti</i>           |          | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |    |
| western whiptail              | <i>Cnemidophorus tigris</i>       |          | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |    |
| southern alligator lizard     | <i>Gerrhonotus multicarinatus</i> |          | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  |    | X  | X  | X  |    |
| northern alligator lizard     | <i>Gerrhonotus coeruleus</i>      |          | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  | X  | X  |    |
| California legless lizard     | <i>Anniella pulchra</i>           |          | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |    |    |
| rubber boa                    | <i>Charina bottae</i>             |          | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |    |    | X  |    |
| ring-necked snake             | <i>Diadophis punctatus</i>        |          | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  |    |

Wildlife Species of the  
San Francisco Bay Estuary

| Common Name                      | Scientific Name               | Status | Seasonal Occurrence | Abundance | OW | IM | RS | SM | BH | FM | DM | FH | FW | RW | SP | LP | GR | CS | MC | WS | BF | AL | UR |   |  |
|----------------------------------|-------------------------------|--------|---------------------|-----------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|---|--|
| sharp-tailed snake               | <i>Contia tenuis</i>          |        | R-YR                | C         |    |    |    | X  | X  | X  |    |    |    |    | X  |    |    | X  | X  |    |    |    |    |   |  |
| racer                            | <i>Coluber constrictor</i>    |        | R-YR                | C         |    |    |    |    |    |    | X  | X  | X  |    |    | X  |    |    | X  | X  | X  |    |    |   |  |
| coachwhip                        | <i>Masticophis flagellum</i>  |        | R-YR                | R         |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |    |   |  |
| striped racer                    | <i>Masticophis lateralis</i>  | FC2,ST | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  |    |   |  |
| glossy snake                     | <i>Arizona elegans</i>        |        | R-YR                | R         |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  |    |   |  |
| gopher snake                     | <i>Pituophis melanoleucus</i> |        | R-YR                | A         |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  |    |   |  |
| common kingsnake                 | <i>Lampropeltis getulus</i>   |        | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  |    |   |  |
| long-nosed snake                 | <i>Rhinocheilus lecontei</i>  |        | R-YR                | R         |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  |    |   |  |
| common garter snake              | <i>Thamnophis sirtalis</i>    | FE,SE  | R-YR                | C         |    |    |    | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  |    |   |  |
| western terrestrial garter snake | <i>Thamnophis elegans</i>     |        | R-YR                | C         |    |    | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  |    |   |  |
| giant garter snake               | <i>Thamnophis gigas</i>       | FC2,ST | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |    |    |    |   |  |
| California black-headed snake    | <i>Tantilla planiceps</i>     |        | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  |   |  |
| night snake                      | <i>Hypsiglena torquata</i>    |        | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X |  |
| western rattlesnake              | <i>Crotalus viridis</i>       |        | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X |  |
| western pond turtle              | <i>Clemmys marmorata</i>      | FC     | R-YR                | U         |    |    | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  |   |  |
| red-eared slider                 | <i>Pseudemys scripta</i>      | IN     | R-YR                | C         |    |    | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  |   |  |

**BIRDS**

|                          |                                  |            |        |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|--------------------------|----------------------------------|------------|--------|---|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| red-throated loon        | <i>Gavia stellata</i>            |            | R-W    | C | X |  |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |  |
| Pacific loon             | <i>Gavia pacifica</i>            |            | R-W    | U | X |  |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |  |
| common loon              | <i>Gavia immer</i>               | SSC,MC,SBS | R-W    | C | X |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |  |
| pied-billed grebe        | <i>Podilymbus podiceps</i>       |            | R-YR   | C | X |  |   |   |   |   |   |   |   |   |   |   |   |   |   | X | X |   |   |  |
| horned grebe             | <i>Podiceps auritus</i>          | AB         | R-W    | C | X |  |   | X | X | X | X | X | X | X | X | X | X | X | X |   |   |   |   |  |
| red-necked grebe         | <i>Podiceps grisegena</i>        |            | R-W    | U | X |  |   | X | X | X | X | X | X | X | X | X | X | X | X |   |   |   |   |  |
| eared grebe              | <i>Podiceps nigricollis</i>      |            | R-W,S  | C | X |  |   |   |   |   |   |   |   |   |   |   |   |   |   | X | X |   |   |  |
| western grebe            | <i>Aechmophorus occidentalis</i> |            | R-W    | A | X |  |   | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |  |
| Clark's grebe            | <i>Aechmophorus clarkii</i>      |            | R-W    | A | X |  |   | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |  |
| American white pelican   | <i>Pelecanus erythrorhynchos</i> | SSC,SBS    | R-W    | U | X |  |   |   |   |   |   |   |   |   |   |   |   |   |   | X | X |   |   |  |
| brown pelican            | <i>Pelecanus occidentalis</i>    | FE,SE      | R-SU,F | C | X |  |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |  |
| double-crested cormorant | <i>Phalacrocorax auritus</i>     | SSC        | R-YR   | C | X |  | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |  |

San Francisco Bay Estuary

Winter Survey Data

## Wildlife Species of the San Francisco Bay Estuary

WILDLIFE SPECIES  
San Francisco Bay Estuary

| Common Name            | Scientific Name                 | Status     | Seasonal Occurrence | Abundance | OW      | IM | RS | SM | BM | FM | DM | FH | FW | RW | SP | LP | GR | CS | MC | WS | BF | AL | UR |
|------------------------|---------------------------------|------------|---------------------|-----------|---------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| *canvasback            | <i>Aythya valisineria</i>       | HA         | R-W                 | C         | X       |    |    | X  | X  | X  |    |    |    |    |    |    |    |    | X  | X  | X  |    |    |
| redhead                | <i>Aythya americana</i>         | HA         | R-W                 | U         | X       |    |    | X  | X  | X  |    |    |    |    |    |    |    |    | X  | X  | X  |    |    |
| ring-necked duck       | <i>Aythya collaris</i>          | HA         | R-W                 | U         | X       |    |    |    | X  | X  |    |    |    |    |    |    |    |    | X  | X  | X  |    |    |
| tufted duck            | <i>Aythya fuligula</i>          |            | R-W                 | R         | X       |    |    | X  | X  |    |    |    |    |    |    |    |    |    | X  | X  |    |    |    |
| *greater scaup         | <i>Aythya marila</i>            | HA         | R-W                 | C         | X       |    |    | X  | X  |    |    |    |    |    |    |    |    |    | X  | X  |    |    |    |
| *lesser scaup          | <i>Aythya affinis</i>           | HA         | R-W                 | C         | X       |    |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| oldsquaw               | <i>Clangula hyemalis</i>        | HA         | R-W                 | R         | X       |    |    |    | X  |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| black scoter           | <i>Melanitta nigra</i>          | HA         | R-W                 | R         | X       |    |    | X  |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| *surf scoter           | <i>Melanitta perspicillata</i>  | HA         | R-W                 | C         | X       |    |    | X  | X  |    |    |    |    |    |    |    |    |    |    | X  |    |    |    |
| white-winged scoter    | <i>Melanitta fusca</i>          | HA         | R-W                 | U         | X       |    |    | X  | X  |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| common goldeneye       | <i>Bucephala clangula</i>       | HA         | R-W                 | C         | X       |    |    | X  | X  | X  | X  |    |    |    |    |    |    |    | X  | X  |    |    |    |
| Barrow's goldeneye     | <i>Bucephala islandica</i>      | SSC, HA    | R-W                 | U         | X       |    |    |    | X  |    |    |    |    |    |    |    |    |    | X  | X  |    |    |    |
| *bufflehead            | <i>Bucephala albeola</i>        | HA         | R-W                 | C         | X       |    |    | X  | X  | X  |    |    |    |    |    |    |    |    | X  | X  |    |    |    |
| hooded merganser       | <i>Lophodytes cucullatus</i>    | HA         | R-W                 | U         | X       |    |    | X  | X  |    |    |    |    |    |    |    |    |    | X  |    |    |    |    |
| common merganser       | <i>Mergus merganser</i>         | HA         | R-SU,W              | U         | X       |    |    | X  | X  | X  |    |    |    |    |    |    |    |    | X  | X  |    |    |    |
| red-breasted merganser | <i>Mergus serrator</i>          | HA         | R-W                 | U         | X       |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  |    |    |    |
| *ruddy duck            | <i>Oxyura jamaicensis</i>       | HA         | R-SU,W              | A         | X       |    |    | X  | X  | X  |    |    |    |    |    |    |    |    | X  | X  |    |    |    |
| California condor      | <i>Gymnogyps californianus</i>  | EX, FE, SE |                     |           |         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| turkey vulture         | <i>Cathartes aura</i>           |            | R-YR                | C         |         |    |    | X  | X  |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  |
| osprey                 | <i>Pandion haliaetus</i>        | SSC        | R-YR                | U         | X       |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  |    |    |    |    |
| black-shouldered kite  | <i>Elanus caeruleus</i>         |            | R-YR                | C         |         |    |    | X  | X  | X  |    |    |    |    |    |    |    | X  | X  |    | X  | X  |    |
| *bald eagle            | <i>Haliaeetus leucocephalus</i> | FE, SE     | R-W                 | R         |         |    |    | X  | X  |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  |
| *northern harrier      | <i>Circus cyaneus</i>           | SSC, AB    | R-YR                | U         |         |    |    | X  | X  | X  | X  | X  |    |    |    |    |    | X  | X  |    |    |    |    |
| *sharp-shinned hawk    | <i>Accipiter striatus</i>       | SSC        | R-YR                | U         |         |    |    | X  | X  |    |    |    |    |    |    |    |    | X  |    |    | X  | X  |    |
| *Cooper's hawk         | <i>Accipiter cooperii</i>       | SSC, AB    | R-YR                | U         |         |    |    | X  | X  |    |    |    |    |    |    |    |    | X  |    |    | X  | X  |    |
| red-shouldered hawk    | <i>Buteo lineatus</i>           | AB         | R-YR                | R         |         |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  |    |
| broad-winged hawk      | <i>Buteo platypterus</i>        |            | M-F                 | R         |         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| *Swainson's hawk       | <i>Buteo swainsoni</i>          | FC, ST     | R-SU                | U         |         |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  |
|                        |                                 |            |                     |           | M-SP, F |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| red-tailed hawk        | <i>Buteo jamaicensis</i>        |            | R-YR                | C         |         |    |    | X  | X  |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  | X  |
| ferruginous hawk       | <i>Buteo regalis</i>            | FC2, SSC   | M-W                 | U         |         |    |    | X  | X  |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  |

## **Wildlife Species of the San Francisco Bay Estuary**

## **Wildlife Species of the San Francisco Bay Estuary**

## **Wildlife Species of the San Francisco Bay Estuary**

| Common Name           | Scientific Name                 | Status       | Seasonal Occurrence | Abundance | OW | IM | RS | SM | BH | FM | DM | FN | FW | RW | SP | LP | GR | CS | MC | WS | BF | AL | UR |
|-----------------------|---------------------------------|--------------|---------------------|-----------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| herring gull          | <i>Larus argentatus</i>         |              | R-W                 | C         | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  |    |
| Thayer's gull         | <i>Larus thayeri</i>            |              | R-W                 | U         | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  |    |
| western gull          | <i>Larus occidentalis</i>       |              | R-YR                | A         | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  |    |
| glaucous-winged gull  | <i>Larus glaucescens</i>        |              | R-W                 | C         | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  |    |
| glaucous gull         | <i>Larus hyperboreus</i>        |              | R-W                 | R         | X  | X  |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |
| Caspian tern          | <i>Sterna caspia</i>            | SBS          | R-SU                | C         | X  | X  |    |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    | X  |    |
| elegant tern          | <i>Sterna elegans</i>           | SSC          | M-SU,F              | C         | X  | X  |    |    | X  |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |
| common tern           | <i>Sterna hirundo</i>           |              | M-SP,F              | U         | X  | X  |    |    | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  |    |
| Forster's tern        | <i>Sterna forsteri</i>          |              | R-YR                | C         | X  | X  |    |    | X  | X  | X  |    |    |    |    |    |    |    |    |    | X  | X  |    |
| least tern            | <i>Sterna antillarum</i>        | FE,SE        | R-SU                | U         | X  | X  |    |    | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  |    |
| black tern            | <i>Chlidonias niger</i>         | AB,MC        | M-SP,F              | R         | X  |    |    | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  |    |
| common murre          | <i>Uria aalge</i>               |              | M-F                 | U         | X  |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| pigeon guillemot      | <i>Cephus columba</i>           |              | R-SU                | U         | X  |    | X  |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| rock dove             | <i>Columba livia</i>            | IN           | R-YR                | A         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  |
| band-tailed pigeon    | <i>Columba fasciata</i>         | HA           | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  |
| mourning dove         | <i>Zenaidura macroura</i>       | HA           | R-YR                | A         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| yellow-billed cuckoo  | <i>Coccyzus americanus</i>      | EX,AB,SBS,SE |                     |           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| greater roadrunner    | <i>Geococcyx californianus</i>  |              | R-YR                | R         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |
| barn owl              | <i>Tyto alba</i>                |              | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  |
| western screech-owl   | <i>Otus kennicottii</i>         |              | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  |
| great horned owl      | <i>Bubo virginianus</i>         |              | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| northern pygmy-owl    | <i>Glaucidium gnoma</i>         |              | R-YR                | R         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |
| burrowing owl         | <i>Athene cunicularia</i>       | SSC          | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  |
| long-eared owl        | <i>Asio otus</i>                | SSC          | R-YR                | R         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  |
| short-eared owl       | <i>Asio flammeus</i>            | SSC,SBS,AB   | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  |
| northern saw-whet owl | <i>Aegolius acadicus</i>        |              | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |
| spotted owl           | <i>Strix occidentalis</i>       | FT,SSC,AB    | R-YR                | R         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |
| lesser nighthawk      | <i>Chordeiles acutipennis</i>   |              | R-SU                | R         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  |
| common poorwill       | <i>Phalaenoptilus nuttallii</i> |              | R-SU                | R         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| black swift           | <i>Cypseloides niger</i>        | SSC          | M-SP,F              | R         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  |
| Vaux's swift          | <i>Chaetura vauxi</i>           |              | M-SP,F              | R         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |

Wildlife Species of the  
San Francisco Bay Estuary

**Wildlife Species of the  
San Francisco Bay Estuary**

| Common Name               | Scientific Name                | Status | Seasonal Occurrence | Abundance | OW | IM | RS | SM | BH | FM | DM | FH | FW | RW | SP | LP | GR | CS | MC | WS | BF | AL | UR |
|---------------------------|--------------------------------|--------|---------------------|-----------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| bank swallow              | <i>Riparia riparia</i>         |        | H-SP,F              | R         |    | X  |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  |    |    |
| cliff swallow             | <i>Hirundo pyrrhonota</i>      | ST,SSC | R-SU                | A         |    | X  | X  | X  |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  |    |
| barn swallow              | <i>Hirundo rustica</i>         |        | R-SU                | C         |    | X  | X  | X  |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  | X  |    |
| Steller's jay             | <i>Cyanocitta stelleri</i>     |        | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |    |
| scrub jay                 | <i>Aphelocoma coerulescens</i> |        | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |    |
| yellow-billed magpie      | <i>Pica nuttalli</i>           |        | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  |    |
| American crow             | <i>Corvus brachyrhynchos</i>   | HA     | R-YR                | A         |    |    |    | X  | X  |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  |    |    |
| common raven              | <i>Corvus corax</i>            |        | R-YR                | U         |    | X  |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  |    |    |
| chestnut-backed chickadee | <i>Parus rufescens</i>         |        | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  |    |    |
| plain titmouse            | <i>Parus inornatus</i>         |        | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  | X  |    |    |
| bushtit                   | <i>Psaltriparus minimus</i>    |        | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  | X  |    |    |
| white-breasted nuthatch   | <i>Sitta carolinensis</i>      |        | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  | X  |    |    |
| red-breasted nuthatch     | <i>Sitta canadensis</i>        |        | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  |    |    |    |
| pygmy nuthatch            | <i>Sitta pygmaea</i>           |        | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  | X  |    |    |
| brown creeper             | <i>Certhia americana</i>       |        | R-YR                | R         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  |    |
| rock wren                 | <i>Salpinctes obsoletus</i>    |        | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  |    |
| canyon wren               | <i>Catherpes mexicanus</i>     |        | R-YR                | R         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  |    |
| Bewick's wren             | <i>Thryomanes bewickii</i>     | AB     | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  | X  |    |    |
| house wren                | <i>Troglodytes aedon</i>       |        | R-SU                | C         |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  | X  |    |    |
| winter wren               | <i>Troglodytes troglodytes</i> |        | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  | X  | X  |    |
| marsh wren                | <i>Cistothorus palustris</i>   |        | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  |    |    | X  |    |
| American dipper           | <i>Cinclus mexicanus</i>       |        | FFYR                | R         |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  |    |    |    |
| golden-crowned kinglet    | <i>Regulus satrapa</i>         |        | R-W                 | C         |    |    |    |    |    |    |    |    |    |    |    | X  |    |    |    |    |    |    |    |
| ruby-crowned kinglet      | <i>Regulus calendula</i>       |        | R-W                 | C         |    |    |    |    |    |    |    |    |    |    |    | X  |    |    |    | X  | X  | X  |    |
| blue-gray gnatcatcher     | <i>Polyoptila caerulea</i>     |        | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  | X  | X  |    |
| western bluebird          | <i>Sialia mexicana</i>         | SBS    | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  | X  | X  |    |
| mountain bluebird         | <i>Sialia currucoides</i>      |        | R-W                 | R         |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  | X  | X  |    |
| Townsend's solitaire      | <i>Myadestes townsendi</i>     |        | R-W                 | R         |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  |    |    | X  |    |
| Swainson's thrush         | <i>Catharus ustulatus</i>      |        | R-W                 | R         |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  | X  | X  |    |
| hermit thrush             | <i>Catharus guttatus</i>       |        | R-SU                | C         |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  | X  | X  |    |
| American robin            | <i>Turdus migratorius</i>      |        | R-W                 | C         |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  | X  | X  |    |
|                           |                                |        | R-YR                | A         |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  | X  | X  |    |

Wildlife Species of the  
San Francisco Bay Estuary

| Common Name                 | Scientific Name                  | Status      | Seasonal Occurrence | Abun- | OW | IM | RS | SM | BM | FM | DM | FH | FW | RW | SP | LP | GR | CS | MC | WS | BF | AL | UR |
|-----------------------------|----------------------------------|-------------|---------------------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
|                             |                                  |             |                     | dance |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| varied thrush               | <i>Ixoreus naevius</i>           |             | R-W                 | U     |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  |    |    |    |
| wrentit                     | <i>Chamaea fasciata</i>          |             | R-YR                | C     |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  |    |    |    |
| northern mockingbird        | <i>Mimus polyglottos</i>         |             | R-YR                | C     |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |    | X  | X  |    |
| California thrasher         | <i>Toxostoma redivivum</i>       |             | R-YR                | C     |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  |    | X  |    |
| American pipit              | <i>Anthus rubescens</i>          |             | R-W                 | C     |    | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  | X  |    | X  | X  |    |    |
| cedar waxwing               | <i>Bostrychia cedrorum</i>       |             | R-W                 | C     |    |    | X  |    |    |    |    |    |    |    | X  |    | X  | X  | X  | X  | X  | X  |    |
| phainopepla                 | <i>Phainopepla nitens</i>        |             | R-YR                | R     |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  |    |    |    |
| European starling           | <i>Sturnus vulgaris</i>          | IN          | R-YR                | A     |    |    | X  | X  |    |    |    |    |    |    | X  |    | X  | X  | X  | X  | X  | X  |    |
| Bell's vireo                | <i>Vireo bellii</i>              | EX,SSC      |                     |       |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| solitary vireo              | <i>Vireo solitarius</i>          |             | R-SU                | U     |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  |    |    |    |
| Hutton's vireo              | <i>Vireo huttoni</i>             |             | R-YR                | C     |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  |    |    |    |
| warbling vireo              | <i>Vireo gilvus</i>              |             | R-SU                | C     |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  | X  | X  |    |
| orange-crowned warbler      | <i>Vermivora celata</i>          |             | R-SU                | C     |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  | X  | X  |    |
| Nashville warbler           | <i>Vermivora ruficapilla</i>     |             | M-SP,F              | R     |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  |    |    |    |
| yellow warbler              | <i>Dendroica petechia</i>        | SSC         | R-SU                | C     |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  | X  | X  |    |
| yellow-rumped warbler       | <i>Dendroica coronata</i>        |             | R-W                 | C     |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  | X  | X  |    |
| black-throated gray warbler | <i>Dendroica nigrescens</i>      |             | R-SU                | U     |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  |    |    |    |
| Townsend's warbler          | <i>Dendroica townsendi</i>       |             | R-W                 | U     |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  | X  | X  |    |
| hermit warbler              | <i>Dendroica occidentalis</i>    |             | M-SP,F              | R     |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  | X  | X  |    |
| MacGillivray's warbler      | <i>Oporornis tolmiei</i>         |             | R-SU                | U     |    |    |    |    |    |    |    |    |    |    |    | X  |    |    |    |    |    | X  |    |
| common yellowthroat         | <i>Geothlypis trichas</i>        | FC2,SBS,SSC | R-YR                | U     |    | X  | X  | X  |    |    |    |    |    |    | X  |    |    |    |    |    |    |    |    |
| Wilson's warbler            | <i>Wilsonia pusilla</i>          |             | R-SU                | C     |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  | X  | X  |    |
| yellow-breasted chat        | <i>Icteria virens</i>            | SSC         | R-SU                | R     |    |    |    |    |    |    |    |    |    |    |    | X  |    |    |    |    |    |    |    |
| western tanager             | <i>Piranga ludoviciana</i>       |             | M-SP,F              | C     |    |    |    |    |    |    |    |    |    |    |    | X  |    |    |    |    | X  | X  |    |
| black-headed grosbeak       | <i>Pheucticus melanocephalus</i> |             | R-SU                | C     |    |    |    |    |    |    |    |    |    |    |    | X  |    |    |    |    | X  | X  |    |
| blue grosbeak               | <i>Guiraca caerulea</i>          |             | R-SU                | U     |    |    |    |    |    |    |    |    |    |    |    | X  |    |    |    |    | X  |    |    |
| Lazuli bunting              | <i>Passerina amoena</i>          |             | R-SU                | C     |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  |    |
| rufous-sided towhee         | <i>Pipilo erythrrophthalmus</i>  |             | R-YR                | C     |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  | X  | X  |    |
| California towhee           | <i>Pipilo crissalis</i>          |             | R-YR                | C     |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  | X  | X  |    |
| rufous-crowned sparrow      | <i>Aimophila ruficeps</i>        |             | R-YR                | U     |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  |    |    |    |    |
| chipping sparrow            | <i>Spizella passerina</i>        |             | R-SU                | U     |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  | X  | X  |    |

**Wildlife Species of the  
San Francisco Bay Estuary**

| Common Name             | Scientific Name                      | Status  | Seasonal Occurrence | Abundance | OW | IM | RS | SM | BM | FM | DM | FH | FW | RW | SP | LP | GR | CS | MC | WS | BF | AL | UR |
|-------------------------|--------------------------------------|---------|---------------------|-----------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| black-chinned sparrow   | <i>Spizella atrogularis</i>          |         | R-SU                | U         |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  |    |    |    |    |    |
| vesper sparrow          | <i>Pooecetes gramineus</i>           |         | R-W                 | R         |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  |    |    | X  |    |
| lark sparrow            | <i>Chondestes grammacus</i>          |         | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |    | X  |    |
| sage sparrow            | <i>Amphispiza belli</i>              |         | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  |    |    |    |    |    |
| Savannah sparrow        | <i>Passerculus sandwichensis</i>     |         | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    |    |    |    |    |
| grasshopper sparrow     | <i>Ammodramus savannarum</i>         | AB      | R-SU                | R         |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    |    |    |    |    |
| fox sparrow             | <i>Passerella iliaca</i>             |         | R-W                 | C         |    |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  | X  | X  |
| song sparrow            | <i>Melospiza melodia</i>             | FC2,SSC | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  |
| Lincoln's sparrow       | <i>Melospiza lincolni</i>            |         | R-W                 | U         |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  |
| white-throated sparrow  | <i>Zonotrichia albicollis</i>        |         | R-W                 | R         |    |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  | X  | X  |
| golden-crowned sparrow  | <i>Zonotrichia atricapilla</i>       |         | R-W                 | C         |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  |
| white-crowned sparrow   | <i>Zonotrichia leucophrys</i>        |         | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  |
| dark-eyed junco         | <i>Junco hyemalis</i>                |         | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  | X  | X  |
| red-winged blackbird    | <i>Agelaius phoeniceus</i>           |         | R-YR                | A         |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    |    |    | X  | X  |
| tricolored blackbird    | <i>Agelaius tricolor</i>             | FC2,SSC | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  |
| western meadowlark      | <i>Sturnella neglecta</i>            |         | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  |
| yellow-headed blackbird | <i>Xanthocephalus</i>                |         | R-W                 | U         |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  |
| Brewer's blackbird      | <i>Xanthocephalus xanthocephalus</i> |         | R-YR                | A         |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  |
| brown-headed cowbird    | <i>Molothrus ater</i>                |         | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  | X  | X  | X  |
| hooded oriole           | <i>Icterus cucullatus</i>            |         | R-SU                | U         |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    |    |    | X  | X  |
| northern oriole         | <i>Icterus galbula</i>               |         | R-SU                | C         |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  | X  | X  |
| purple finch            | <i>Carpodacus purpureus</i>          |         | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  | X  | X  |
| house finch             | <i>Carpodacus mexicanus</i>          |         | R-YR                | A         |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  |
| red crossbill           | <i>Loxia curvirostra</i>             |         | R-W,SU              | U         |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    |    |    | X  | X  |
| pine siskin             | <i>Carduelis pinus</i>               |         | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  | X  | X  |
| lesser goldfinch        | <i>Carduelis psaltria</i>            |         | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  |
| Lawrence's goldfinch    | <i>Carduelis lawrencei</i>           |         | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  |
| American goldfinch      | <i>Carduelis tristis</i>             |         | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  | X  | X  | X  |
| evening grosbeak        | <i>Coccothraustes vespertinus</i>    |         | R-W                 | R         |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  | X  | X  | X  |

Wildlife Species of the  
San Francisco Bay Estuary

| Common Name               | Scientific Name                  | Status       | Seasonal Occurrence | Abundance | OW | IM | RS | SM | BH | FM | DM | FH | FW | RW | SP | LP | GR | CS | MC | WS | BF | AL | UR |
|---------------------------|----------------------------------|--------------|---------------------|-----------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| house sparrow             | <i>Passer domesticus</i>         | IN           | R-YR                | A         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  |    |    |
| MAMMALS                   |                                  |              |                     |           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| Virginia opossum          | <i>Didelphis virginiana</i>      | HA, IN       | R-YR                | C         |    |    | X  | X  | X  | X  | X  |    |    |    | X  | X  | X  | X  | X  |    | X  | X  |    |
| vagrant shrew             | <i>Sorex vagrans</i>             | FC1, SSC     | R-YR                | A         | X  | X  | X  |    | X  | X  |    |    |    | X  | X  | X  | X  | X  |    | X  | X  | X  |    |
| Pacific shrew             | <i>Sorex pacificus</i>           |              | R-YR                | C         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| ornate shrew              | <i>Sorex ornatus</i>             | FC1, SSC     | R-YR                | U         | X  | X  | X  | X  | X  | X  |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| Trowbridge's shrew        | <i>Sorex trowbridgii</i>         |              | R-YR                | C         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| shrew-mole                | <i>Neurotrichus gibbsii</i>      |              | R-YR                | C         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| broad-footed mole         | <i>Scapanus latimanus</i>        |              | R-YR                | C         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |
| little brown bat          | <i>Myotis lucifugus</i>          |              | R-YR                | C         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| Yuma myotis               | <i>Myotis yumanensis</i>         |              | R-YR                | C         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| long-eared myotis         | <i>Myotis evotis</i>             |              | R-YR                | U         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| fringed myotis            | <i>Myotis thysanodes</i>         |              | R-YR                | U         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| long-legged myotis        | <i>Myotis volans</i>             |              | R-YR                | U         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| California bat            | <i>Myotis californicus</i>       |              | R-YR                | C         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| small-footed myotis       | <i>Myotis leibii</i>             |              | R-YR                | C         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| silver-haired bat         | <i>Lasionycteris noctivagans</i> |              | R-YR                | C         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| western pipistrelle       | <i>Pipistrellus hesperus</i>     |              | R-YR                | C         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| big brown bat             | <i>Eptesicus fuscus</i>          |              | R-YR                | C         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| red bat                   | <i>Lasiurus borealis</i>         |              | R-YR                | A         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| hoary bat                 | <i>Lasiurus cinereus</i>         |              | R-YR                | C         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| Townsend's big-eared bat  | <i>Plecotus townsendii</i>       | FC2, SSC     | R-YR                | U         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| pallid bat                | <i>Antrozous pallidus</i>        | SSC          | R-YR                | R         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| Brazilian free-tailed bat | <i>Tadarida brasiliensis</i>     |              | R-YR                | U         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| western mastiff bat       | <i>Eumops perotis</i>            | FC2, SSC     | R-YR                | U         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| brush rabbit              | <i>Sylvilagus bachmani</i>       | FC1, SSC, HA | R-YR                | U         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| desert cottontail         | <i>Sylvilagus audubonii</i>      | HA           | R-YR                | A         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| black-tailed hare         | <i>Lepus californicus</i>        | HA           | R-YR                | A         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| Sonoma chipmunk           | <i>Tamias sonomae</i>            |              | R-YR                | C         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |    |
| Merriam's chipmunk        | <i>Tamias merriami</i>           |              | R-YR                | C         |    | X  | X  | X  |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |    |

Wildlife Species of the  
San Francisco Bay Estuary

| Common Name                | Scientific Name                    | Status   | Seasonal Occurrence | Abundance | OW | IM | RS | SM | BH | FM | DM | FH | FW | RW | SP | LP | GR | CS | MC | WS | BF | AL | UR |
|----------------------------|------------------------------------|----------|---------------------|-----------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| California ground squirrel | <i>Spermophilus beecheyi</i>       |          | R-YR                | A         |    |    |    | X  | X  |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| eastern gray squirrel      | <i>Sciurus carolinensis</i>        | IN       | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |
| western gray squirrel      | <i>Sciurus griseus</i>             | HA       | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  |
| fox squirrel               | <i>Sciurus niger</i>               | HA, IN   | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  |
| Douglas' squirrel          | <i>Tamiasciurus douglasii</i>      | HA       | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  |
| Botta's pocket gopher      | <i>Thomomys bottae</i>             |          | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  |
| little pocket mouse        | <i>Perognathus longimembris</i>    |          | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  |
| San Joaquin pocket mouse   | <i>Perognathus inornatus</i>       | FC2, SSC | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  |
| California pocket mouse    | <i>Perognathus californicus</i>    |          | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  |
| narrow-faced kangaroo rat  | <i>Dipodomys venustus</i>          |          | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  |
| Heerman's kangaroo rat     | <i>Dipodomys heermanni</i>         |          | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  |
| California kangaroo rat    | <i>Dipodomys californicus</i>      |          | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  |
| beaver                     | <i>Castor canadensis</i>           | HA       | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  |
| western harvest mouse      | <i>Reithrodontomys megalotis</i>   |          | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| salt-marsh harvest mouse   | <i>Reithrodontomys raviventris</i> | FE, SE   | R-YR                | R         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| California mouse           | <i>Peromyscus californicus</i>     |          | R-YR                | A         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  |
| deer mouse                 | <i>Peromyscus maniculatus</i>      |          | R-YR                | A         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| brush mouse                | <i>Peromyscus boylii</i>           |          | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| pinyon mouse               | <i>Peromyscus truei</i>            |          | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |
| desert woodrat             | <i>Neotoma lepida</i>              |          | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  |
| dusky-footed woodrat       | <i>Neotoma fuscipes</i>            | FC2, SSC | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  |
| western red-backed vole    | <i>Clethrionomys californicus</i>  |          | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  |
| California vole            | <i>Microtus californicus</i>       | SSC      | R-YR                | U         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  |
| muskat                     | <i>Ondatra zibethicus</i>          | HA, IN   | R-YR                | A         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  |
| black rat                  | <i>Rattus rattus</i>               | IN       | R-YR                | A         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  |
| Norway rat                 | <i>Rattus norvegicus</i>           | IN       | R-YR                | A         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  |
| house mouse                | <i>Mus musculus</i>                | IN       | R-YR                | A         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    | X  |
| Pacific jumping mouse      | <i>Zapus trinotatus</i>            | FC2, SSC | R-YR                | A         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |    | X  | X  |
| porcupine                  | <i>Erethizon dorsatum</i>          |          | R-YR                | C         |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  | X  | X  |

## **Wildlife Species of the San Francisco Bay Estuary**