




**DISCLAIMER**  
 The United States Government furnishes this information for the general public and does not warrant, express or implied, the accuracy, completeness, or reliability of the data. The user is responsible for the results of any application of the data for other than the intended purpose. The user is responsible for the results of any application of the data for other than the intended purpose. These data belong to the Government. Therefore the recipient may not transfer these data to others without also transferring this disclaimer.

Prepared Under the Direction of <b>LT COLONEL W. SHEBESTA</b>	Chart Date: Jul 18, 2023
Submitted: Hydro Survey Team Leader	Designed by: PDT
Recommended: Chief, Hydro Survey Section	Plotted by: PDT
Approved: Chief, Construction Branch	Checked by: PDT
	Drawn by: PDT




CALIFORNIA  
**REWOOD CITY**  
 CONDITION SURVEY  
 13-14 JULY 2023

**Sheet**  
**Reference**  
**Number**  
**1 of 4**




NAD 83 CHANNEL ANGLE POINTS			NAD 83 CENTERLINE ANGLE POINTS		
PT	X	Y	PT	X	Y
1	6070497.14	2029381.41	C1	6070030.84	2029309.11
2	6070532.34	2028732.31	C2	6070516.34	2026252.81
3	6070951.24	2020996.01	C3	6070776.14	2021455.81
4	6070270.24	2019491.41	C4	6070762.44	2021003.21
5	6067215.84	2018684.81	C5	6070098.84	2019537.11
6	6068677.34	2015527.11	C6	6067092.64	2016755.11
7	6068847.04	2015077.21	C7	6066541.74	2015591.31
8	6068598.34	2014551.71	C8	6066573.84	2015255.01
9	6065434.54	2013809.41	C9	6065258.64	2013724.31
10	6065101.54	2012395.71	C10	6064908.74	2012448.61
11	6065181.74	2011949.61	C11	6064278.74	2010735.31
12	6064761.54	2010998.31			
13	6064484.54	2010776.31			
14	6064278.74	2010735.31			
15	6064211.54	2011072.31			
16	6063974.74	2011444.51			
17	6064312.34	2012208.81			
18	6064715.84	2012501.51			
19	6065082.74	2013839.31			
20	6065886.34	2015167.71			
21	6066300.74	2015432.81			
22	6066969.44	2016846.51			
23	6069927.44	2019582.41			
24	6070573.54	2021010.41			
25	6070626.34	2021447.71			
26	6070366.54	2028244.71			
27	6069732.74	2028609.11			
28	6069564.44	2029236.91			

**PRELIMINARY ISSUE**  
 THIS PLAN ISSUED FOR  
 ADVANCE INFORMATION ONLY






Federal Navigation Channel	Beacon, General	<b>Contours</b>
Shoaling Area	Obstruction Point	-30
Material Placement Area	Navigation Buoy	-29
Anchorage Area	Navigation Buoy	-28
Wreck Area	Shoalest Sounding*	-27
Submerged Wreck		-26
Angle Point		

**NOTES:**  
 DRAWING NOT TO BE USED FOR NAVIGATION, ONLY CHANNEL CONDITION AT DATE OF SURVEY.  
 THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.  
 INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.  
 SURVEYED BY THE CORPS OF ENGINEERS.  
 \*SHOALEST SOUNDING PER QUARTER PER REACH  
 BENCHMARK, MLLW ELEV. AGENCY  
 BM 4501 A, NOS TIDAL DISK, 12.15 MLLW  
 BM 4508 U, NOS TIDAL DISK, 11.88 MLLW  
 BM 13 1974, NOS TIDAL DISK, 12.99 MLLW  
 HORIZONTAL CONTROL:  
 DESIGNATION, SOURCE, XYZ  
 COAST GUARD D-BEACON.



**PRELIMINARY ISSUE**  
THIS PLAN ISSUED FOR  
ADVANCE INFORMATION ONLY



	Federal Navigation Channel		Beacon, General	<b>Contours</b>	
	Shoaling Area		Obstruction Point		
	Material Placement Area		Navigation Buoy		
	Anchorage Area		Navigation Buoy		
	Wreck Area		Shoalest Sounding*		
	Submerged Wreck				-30
	Angle Point				-29
					-28
					-27
					-26

**NOTES:**  
DRAWING NOT TO BE USED FOR NAVIGATION, ONLY CHANNEL CONDITION AT DATE OF SURVEY.  
THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.  
INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.  
SURVEYED BY THE CORPS OF ENGINEERS.  
\*SHOALEST SOUNDING PER QUARTER PER REACH  
BENCHMARK, MLLW ELEV., AGENCY  
BM 4501 A, NOS TIDAL DISK, 12.15 MLLW  
BM 4508 U 1998, NOS TIDAL DISK, 11.88 MLLW  
BM 13 1974, NOS TIDAL DISK, 12.99 MLLW  
SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY, BASE MAPS ARE USDA NAIP 2010.

PLANE GRID, BEARING AND COORDINATES ARE BASED ON THE STATE OF CALIFORNIA COORDINATE SYSTEM, LAMBERT CONFORMAL PROJECTION, ZONE III, CALIFORNIA, AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY NATIONAL OCEAN SURVEY.  
THE PROJECT DEPTH IS 30 FEET AT M.L.L.W.  
SOUNDINGS ARE BASED ON THE TIDE GAUGE LOCATED AT RAZ 6 & RAZ 5  
LINES 18+00 TO 100+00 @ BEACON NO. 8  
LINES 101+00 TO 160+00 @ RAZ 6  
LINES 160+ TO 208+49 @ RAZ 5  
VERTICAL CONTROL:  
BENCHMARK, MLLW ELEV., AGENCY  
BM 4501 A, NOS TIDAL DISK, 12.15 MLLW  
BM 4508 U 1998, NOS TIDAL DISK, 11.88 MLLW  
BM 13 1974, NOS TIDAL DISK, 12.99 MLLW  
HORIZONTAL CONTROL:  
DESIGNATION, SOURCE, XYZ  
COAST GUARD D-BEACON.

**US Army Corps of Engineers**  
San Francisco District  
450 Golden Gate Ave.  
San Francisco, CA 94102

**DISCLAIMER**  
The United States Government furnishes this information as a service to the public and does not warrant, express or implied, the accuracy, completeness, or reliability of the information. The user is responsible for the results of any application of the data for other than its intended purpose. These data belong to the Government. Therefore, the recipient may not transfer these data to others without also transferring this Disclaimer.

Prepared Under the Direction of <b>TIMOTHY W. SHEBESTA</b> LT COLONEL, C.E., DISTRICT ENGINEER	Chart Date: Jul 18, 2023
Submitted by: Hydro Survey Team Leader	Designed by: PDT
Recommended by: Chief, Hydro Survey Section	Checked by: PDT
Approved by: Chief, Construction Branch	Drawn by: PDT

CALIFORNIA

**REWOOD CITY**


CONDITION SURVEY

13-14 JULY 2023



SAN MATEO COUNTY

**Sheet Reference Number**

**2 of 4**



**PRELIMINARY ISSUE**  
 THIS PLAN ISSUED FOR  
 ADVANCE INFORMATION ONLY



	Federal Navigation Channel		Beacon, General	<b>Contours</b>
	Shoaling Area		Obstruction Point	
	Material Placement Area		Navigation Buoy	
	Anchorage Area		Navigation Buoy	
	Wreck Area		Shoalest Sounding*	
	Submerged Wreck			
	Angle Point			

**NOTES:**  
 DRAWING NOT TO BE USED FOR NAVIGATION, ONLY CHANNEL CONDITION AT DATE OF SURVEY.  
 THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.  
 INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.  
 SURVEYED BY THE CORPS OF ENGINEERS.  
 \*SHOALEST SOUNDING PER QUARTER PER REACH  
 SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT  
 SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY. BASE MAPS ARE USDA NAIP 2010.

PLANE GRID, BEARING AND COORDINATES ARE BASED ON THE STATE OF CALIFORNIA COORDINATE SYSTEM, LAMBERT CONFORMAL PROJECTION, ZONE III, CALIFORNIA, AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY NATIONAL OCEAN SURVEY.  
 THE PROJECT DEPTH IS 30 FEET AT M.L.L.W.  
 SOUNDINGS ARE BASED ON THE TIDE GAUGE LOCATED AT RAZ 6 & RAZ 5  
 LINES 18+00 TO 100+00 @ BEACON NO. 8  
 LINES 101+00 TO 160+00 @ RAZ 6  
 LINES 160+ TO 208+00 @ RAZ 5

VERTICAL CONTROL:  
 BENCHMARK, MLLW ELEV. AGENCY  
 BM 4501 A, NOS TIDAL DISK, 12.15 MLLW  
 BM 4508 U 1998, NOS TIDAL DISK, 11.88 MLLW  
 BM 13 1974, NOS TIDAL DISK, 12.99 MLLW

HORIZONTAL CONTROL:  
 DESIGNATION, SOURCE, XYZ  
 COAST GUARD D-BEACON.

**DISCLAIMER:** The United States Government furnishes express Access Consideration. The United States Government makes no warranties, expressed, or implied concerning the accuracy, completeness, or reliability of the data furnished. The user is responsible for the results of any application of the data for other than its intended purpose. Distribution Liability: The data represents the results of data Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and accuracy specifications. The user is responsible for the results of any application of the data for other than its intended purpose.


Prepared Under the Direction of	Chart Date:
LT COLONEL W. SHEBESTA	Jul 18, 2023
Submitted:	Designed by:
Hydro Survey Team Leader	PDT
Recommended:	Checked by:
Chief, Hydro Survey Section	PDT
Approved:	Drawn by:
Chief, Construction Branch	PDT

CALIFORNIA  
 SAN MATEO COUNTY  
**REWOOD CITY**  
 CONDITION SURVEY  
 13-14 JULY 2023

**Sheet Reference Number**  
 3 of 4



San Francisco District  
450 Golden Gate Ave.  
San Francisco, CA 94102




**DISCLAIMER**  
The United States Government furnishes this information as a service to the public and does not warrant, express or implied, the accuracy, completeness, or reliability of the data. The user is responsible for the results of any application of the data for other than its intended purpose. The United States Government makes no warranty, express or implied, concerning the accuracy, completeness, or reliability of the data. The user is responsible for the results of any application of the data for other than its intended purpose. These data belong to the Government. Therefore, the recipient may not transfer these data to others without also transferring this disclaimer.

Chart Date:	Jul 18, 2023
Designed by:	PDT
Drawn by:	PDT
Checked by:	PDT
Approved:	Chief, Construction Branch
Surveyed By:	LT COLONEL W. SHEBESTA
Plotted By:	Hydro Survey Team Leader
Recommended:	Chief, Hydro Survey Section
Approved:	Chief, Construction Branch

CALIFORNIA  
SAN MATEO COUNTY  
**REWOOD CITY**  
CONDITION SURVEY  
13-14 JULY 2023

**Sheet Reference Number**  
4 of 4



Federal Navigation Channel	Beacon, General	<b>Contours</b>
Shoaling Area	Obstruction Point	
Material Placement Area	Navigation Buoy	-30
Anchorage Area	Navigation Buoy	-29
Wreck Area	Shoalest Sounding*	-28
Submerged Wreck		-27
Angle Point		-26

**NOTES:**  
DRAWING NOT TO BE USED FOR NAVIGATION, ONLY CHANNEL CONDITION AT DATE OF SURVEY.  
THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.  
INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.  
SURVEYED BY THE CORPS OF ENGINEERS.  
\*SHOALEST SOUNDING PER QUARTER PER REACH  
BENCHMARK, MLLW ELEV. AGENCY  
BM 4501 A, NOS TIDAL DISK, 12.15 MLLW  
BM 4508 U, NOS TIDAL DISK, 11.88 MLLW  
BM 13 1974, NOS TIDAL DISK, 12.99 MLLW  
SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY. BASE MAPS ARE USDA NAIP 2010.  
VERTICAL CONTROL:  
BENCHMARK, MLLW ELEV. AGENCY  
BM 4501 A, NOS TIDAL DISK, 12.15 MLLW  
BM 4508 U, NOS TIDAL DISK, 11.88 MLLW  
BM 13 1974, NOS TIDAL DISK, 12.99 MLLW  
HORIZONTAL CONTROL:  
DESIGNATION, SOURCE, XYZ  
COAST GUARD D-BEACON.