U.S. ARMY CORPS OF ENGINEERS 122°18'30"W 37°47'40"N 122°18'20"W 122°18'10"W 37°47'50"N 122°17'50"W 122°17'40"W 6,041,548 San Francisco District 1455 Market Street San Francisco, CA 94103 FLOOD -1:2,087 1 inch = 174 feet Absolute Scale Relative Scale (ANSI D 22x34) 6,041,548 122°18'0"W 37°47'10"N 122°18'20"W 122°18'10"W 122°17'40"W 122°17'30"W NOTES:
HORIZONTAL COORDINATE SYSTEM:
NORTH AMERICAN DATUM OF 1983 (NAD83), PROJECTED TO THE STATE PLANE COORDINATE SYSTEM (SPCS), CALIFORNIA ZONE III. DISTANCE UNITS IN U.S. SURVEY FEET. DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY. Federal Navigation Channel Contours POI Beacon, General THE PROJECT DEPTHS ARE AS FOLLOWS: OUTER AND INNER HARBOR IS -50 FEET Shoaling Area **Obstruction Point** INNER HARBOR TURNING BASIN TO PARK STREET BRIDGE IS -35 FEET. TIDAL CANAL PROJECT DEPTH IS -18 FEET.
PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE III CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.
HORIZONTAL CONTROL:
PRIMARY: RTK POSITIONING SOUNDINGS ARE SHOWN IN FEET AND INDICATE DEPTHS BELOW MEAN LOWER LOW WATER. Placement Area THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF A SURVEY CONDUCTED ON THE DATE INDICATED AND CAN ONLY BE CONSIDERED TO REPRESENT THE GENERAL CONDITION EXISTING AT THAT TIME. Navigation Buoy SECONDARY: COAST GUARD DGPS D-BEACON Anchorage Area SOUNDINGS WERE TAKEN BY FATHOMETER AND ARE SHOWN TO THE NEAREST TENTH OF A FOOT.
SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PPCP: PORT 1 1936/PII PPCP: PORT 1 1936/PID HT0654. Navigation Buoy OAKLAND INNER, REACH 4-6 DISK SET AT SOUTH END OF CLAY STREET, AT THE PORT OF OAKLAND CLAY STREET PIER. Wreck Area SURVEYED BY THE CORPS OF ENGINEERS. ELEVATION: 9.56 FEET MLLW - PUBLISHED 21 APR 2003 ON NOAA STATION 941 4764 TIDE GAUGE LOCATION IS CHISEL MARK Sheet APPROX. 10 FEET WEST ON TOP OF CONCRETE CURB; CHISEL ELEVATION 11.0 FEET MLLW. APPROX. 10 FEET WEST ON TOP OF CONCRETE CORB; CHISEL ELEVATION 11.0 FEET MILLW.

LPCP 1: 941 4777 B TIDAL/PID AE5211, OAKLAND INNER REACH 1-3 DISK SET IN BALLARD FOUNDATION

NEAR THE NORTHEAST END OF BERTH 40 OF THE OAKLAND MIDDLE HARBOR.

ELEVATION: 13.48 FEET MILLW - DERIVED FROM WGS-84 ELLIPSOID ELEVATION, GEOID09 AND VDATUM MODELS

TIDE GAUGE LOCATION IS IN FACE OF PILING AT BERTH 37; NAIL ELEVATION 9.7 FEET MILLW.

LPCP 2: OAK OUTER 1 2012/NO PID, OAKLAND OUTER REACH 7-10 DISK SET IN PARKING LOT AT PIER 6 AMNAY TUG TERMINAL Reference Submerged Wreck Shoalest Sounding\* \*SHOALEST SOUNDING PER QUARTER PER REACH Number Angle Point 7 of 8 AT THE EDGE OF THE PIER. ELEVATION: 14.04 FEET MLLW - DERIVED FROM WGS-84 ELLIPSOID ELEVATION, GEOID09 AND VDATUM MODELS TIDE GAUGE LOCATION IS IN FACE OF PILING AT PIER 6, 10' EAST OF BENCHMARK NAIL ELEVATION 10.1 FEET MLLW.